DPM 319

Mobil

REC'DDFC 09 1987

600148 PAGE 1 DF 4

MOBIL OIL CORPORATION MATERIAL SAFETY DATA BULLETIN

MOBIL DIE DIL LIGHT

SUPPLIER:

MOBIL OIL CORP.

HEALTH EMERGENCY TELEPHONE:

(212) 883-4411

CHEMICAL NAMES AND SYNONYMS:

TRANSPORT EMERGENCY TELEPHONE:

PET. HYDROCARBONS AND ADDITIVES

(800) 424-9300 (CHEMTREC)

USE OR DESCRIPTION:

LUBRICANT

*** ****** II. TYPICAL CHEMICAL AND PHYSICAL PROPERTIES *********

APPEARANCE: ASTM 1.0 LIQUID DDOR: MILD PH: NA

VISCOSITY AT 100 F, SUS: 158.0 AT 40 C, CS: 30.4 VISCOSITY AT 210 F, SUS: 25.7 AT 100 C, CS: 5.1

FLASH POINT F(C): 425(218) (ASTM D-92)

MELTING POINT F(C): NA

POUR POINT F(C): 20(-7)

BOILING POINT F(C): > 600(316)

RELATIVE DENSITY, 15/4 C: 0.868

SOLUBILITY IN WATER: NEGLIGIBLE

VAPOR PRESSURE-MM HG 20C: < .1

NA=NOT APPLICABLE NE=NOT ESTABLISHED D=DECOMPOSES FOR FURTHER INFORMATION, CONTACT YOUR LOCAL MARKETING OFFICE.

(APPROX) MG/M3 PPM (AND NOTES)

HAZARDOUS INGREDIENTS:

OTHER INGREDIENTS:

REFINED MINERAL DILS >95

ADDITIVES AND/OR OTHER INGREDS. < 5

SEF SECTION XII FOR COMPONENT REGULATORY INFORMATION.

SOURCES: A=ACGIH-TLV, A*= SUGGESTED-TLV, M=MOBIL, O=OSHA, S=SUPPLIER NDTE: LIMITS SHOWN FOR GUIDANCE ONLY. FOLLOW APPLICABLE REGULATIONS.

EYE CONTACT: FLUSH WITH WATER.

SKIN CONTACT: WASH CONTACT AREAS WITH SOAP AND WATER.

INHALATION: NOT EXPECTED TO BE A PROBLEM.

INGESTION: NOT EXPECTED TO BE A PROBLEM WHEN INGESTED. IF

UNCOMFORTABLE SEEK MEDICAL ASSISTANCE.



UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE
NFPA HAZARD ID: HEALTH: O, FLAMMABILITY: 1, REACTIVITY: O

STABILITY (THERMAL, LIGHT, ETC.): STABLE

CONDITIONS TO AVOID: EXTREME HEAT
INCOMPATIBILITY (MATERIALS TO AVOID): STRONG OXIDIZERS
HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE.
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

- *********** VIII. SPILL OR LEAK PROCEDURE *******************
 ENVIRONMENTAL IMPACT: REPORT SPILLS AS REQUIRED TO APPROPRIATE
 AUTHORITIES. U. S. COAST GUARD REGULATIONS REQUIRE IMMEDIATE
 REPORTING OF SPILLS THAT COULD REACH ANY WATERWAY INCLUDING
 INTERMITTENT DRY CREEKS. REPORT SPILL TO COAST GUARD TOLL FREE
 NUMBER 800-424-8802.
- PROCEDURES IF MATERIAL IS RELEASED OR SPILLED: ADSORB ON FIRE RETARDANT TREATED SAWDUST, DIATOMACEOUS EARTH, ETC. SCRAPE UP AND REMOVE. DISPOSE OF AT AN APPROPRIATE WASTE DISPOSAL FACILITY IN ACCORDANCE WITH CURRENT APPLICABLE LAWS AND REGULATIONS, AND PRODUCT CHARACTERISTICS AT TIME OF DISPOSAL.
- WASTE MANAGEMENT: PRODUCT IS SUITABLE FOR BURNING IN AN ENCLOSED, CONTROLLED BURNER FOR FUEL VALUE OR DISPOSAL BY SUPERVISED INCINERATION. SUCH BURNING MAY BE LIMITED PURSUANT TO THE RESOURCE CONSERVATION AND RECOVERY ACT. IN ADDITION, THE PRODUCT IS SUITABLE FOR PROCESSING BY AN APPROVED RECYCLING FACILITY OR CAN BE DISPOSED OF AT ANY GOVERNMENT APPROVED WASTE DISPOSAL FACILITY. USE OF THESE METHODS IS SUBJECT TO USER COMPLIANCE WITH APPLICABLE LAWS AND REGULATIONS AND CONSIDERATION OF PRODUCT CHARACTERISTICS AT TIME OF DISPOSAL.

EYE PROTECTION: NO SPECIAL EQUIPMENT REQUIRED.

SKIN PROTECTION: NO SPECIAL EQUIPMENT REQUIRED. HOWEVER, GOOD PERSONAL HYGIENE PRACTICES SHOULD ALWAYS BE FOLLOWED.

RESPIRATORY PROTECTION: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION.

VENTILATION: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION.



- DRAL TOXICITY (RATS): LD50: > 15 G/KG NONTOXIC(ESTIMATED) ---BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.
- DERMAL TOXICITY (RABBITS): LOSO: > 5 G/KG NONTOXIC(ESTIMATED) ---BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.
- INHALATION TOXICITY (RATS): NOT APPLICABLE ---HARMFUL CONCENTRATIONS OF MISTS AND/OR VAPORS ARE UNLIKELY TO BE ENCOUNTERED THROUGH ANY CUSTOMARY OR REASONABLY FORESEEABLE HANDLING, USE, OR MISUSE OF THIS PRODUCT.
- EYE IRRITATION (RABBITS): EXPECTED TO BE NON-IRRITATING. --- BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.
- SKIN IRRITATION (RABBITS): MAY CAUSE SLIGHT IRRITATION ON PROLONGED OR REPEATED CONTACT. ---BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.
 - --- SUBCHRONIC TOXICOLOGY (SUMMARY)---
- SEVERELY SOLVENT REFINED AND SEVERELY HYDROTREATED MINERAL BASE DILS HAVE BEEN TESTED AT MOBIL ENVIRONMENTAL AND HEALTH SCIENCES LABORATORY BY DERMAL APPLICATION TO RATS 5 DAYS/WEEK FOR 90 DAYS AT DOSES SIGNIFICANTLY HIGHER THAN THOSE EXPECTED DURING NORMAL INDUSTRIAL EXPOSURE. EXTENSIVE EVALUATIONS INCLUDING MICROSCOPIC EXAMINATION OF INTERNAL ORGANS AND CLINICAL CHEMISTRY OF BODY FLUIDS, SHOWED NO ADVERSE EFFECTS.

--- CHRONIC TOXICOLOGY (SUMMARY)---

THE BASE OILS IN THIS PRODUCT ARE SEVERELY SOLVENT REFINED AND/OR SEVERELY HYDROTREATED. TWO YEAR MOUSE SKIN PAINTING STUDIES OF SIMILAR OILS SHOWED NO EVIDENCE OF CARCINOGENIC EFFECTS.

D. D. T. SHIPPING NAME: NOT APPLICABLE D.O.T. HAZARD CLASS: NOT APPLICABLE

US OSHA HAZARD COMMUNICATION STANDARD: PRODUCT ASSESSED IN ACCORDANCE WITH OSHA 29 CFR 1910.1200 AND DETERMINED NOT TO BE HAZARDOUS.

RCRA INFORMATION: THE UNUSED PRODUCT, IN OUR OPINION, IS NOT SPECIFICALLY LISTED BY THE EPA AS A HAZARDOUS WASTE (40 CFR, PART 261D); DOES NOT EXHIBIT THE HAZARDOUS CHARACTERISTICS OF IGNITABILITY, CORROSIVITY, OR REACTIVITY, AND IS NOT FORMULATED WITH THE METALS CITED IN THE EP TOXICITY TEST. HOWEVER, USED PRODUCT MAY BE REGULATED.

U.S. SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA) TITLE III: THIS PRODUCT CONTAINS NO EXTREMELY HAZARDOUS SUBSTANCES.

THE FOLLOWING PRODUCT INGREDIENTS ARE CITED ON THE LISTS BELOW:

CHEMICAL NAME

*** NO INGREDIENT CITATIONS ***

--- KEY TO LIST CITATIONS ---

1 = OSHA Z, 2 = ACGIH, 3 = IARC, 4 = NTP, 5 = NCI, 6 = EPA CARC, 7 = NFPA 49, 8 = NFPA 325M, 9 = DOT HMT, 10 = CA RTK, 11 = IL RTK, 12 = MA RTK, 13 = MN RTK, 14 = NJ RTK, 15 = MI 293, 16 = FL RTK, 17 = PA RTK.

--- NTP, IARC, AND OSHA INCLUDE CARCINOGENIC LISTINGS ---

NOTE: MOBIL PRODUCTS ARE NOT FORMULATED TO CONTAIN PCBS.

PREPARED BY: MOBIL OIL CORPORATION

ENVIRONMENTAL AFFAIRS AND TOXICOLOGY DEPARTMENT, PRINCETON, NJ FOR FURTHER INFORMATION, CONTACT:

MOBIL OIL CORPORATION, PRODUCT FORMULATION AND QUALITY CONTROL 3225 GALLOWS ROAD, FAIRFAX, VA 22037 (703) 849-3265